

Queen's Hill Primary School and Nursery

Calculation and Number Policy, UKS2

The following pages show the curriculum progression in calculation (addition, subtraction, multiplication and division) and how this works in line with the National Curriculum. The consistent use of the CPA (concrete, pictorial, abstract) approach across the curriculum helps children develop mastery across all the operations in an efficient and reliable way. This policy shows how these methods develop children's confidence in their understanding of both written and mental methods.



Upper KEY STAGE 2

In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate, accurate and efficient operations.

Key language: decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number

Addition and subtraction: Children build on their column methods to add and subtract numbers with up to seven digits, and they adapt the methods to calculate efficiently and effectively with decimals, ensuring understanding of place value at every stage.

Children compare and contrast methods, and they select mental methods or jottings where appropriate and where these are more likely to be efficient or accurate when compared with formal column methods.

Bar models are used to represent the calculations required to solve problems and may indicate where efficient methods can be chosen.

Multiplication and division: Building on their understanding, children develop methods to multiply up to 4-digit numbers by single-digit and 2-digit numbers.

Children develop column methods with an understanding of place value, and they continue to use the key skill of unitising to multiply and divide by 10, 100 and 1,000.

Written division methods are introduced and adapted for division by single-digit and 2-digit numbers and are understood alongside the area model and place value. In Year 6, children develop a secure understanding of how division is related to fractions.

Multiplication and division of decimals are also introduced and refined in Year 6.

Fractions: Children find fractions of amounts, multiply a fraction by a whole number and by another fraction, divide a fraction by a whole number, and add and subtract fractions with different denominators. Children become more confident working with improper fractions and mixed numbers and can calculate with them.

Understanding of decimals with up to 3 decimal places is built through place value and as fractions, and children calculate with decimals in the context of measure as well as in pure arithmetic.

Children develop an understanding of percentages in relation to hundredths, and they understand how to work with common percentages: 50%, 25%, 10% and 1%.



	Year 5			
	Concrete	Pictorial	Abstract	
Year 5 Addition				
Column addition with whole numbers	Use place value equipment to represent additions. dd a row of counters onto the place value grid to show 15,735 + 4,012.	Represent additions, using place value equipment on a place value grid alongside written methods. TTh Th H T O 2 0 1 5 3 + 1 9 1 7 5 3 9 3 2 8	Use column addition, including exchanges. TTh Th	
Representing additions		Bar models represent addition of two or more numbers in the context of problem solving. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Use approximation to check whether answers are reasonable. TTh Th H T O	



Adding tenths	Link measure with addition of decimals. wo lengths of fencing are 0.6 m and 0.2 m. low long are they when added together? 0.6 m 0.2 m	Use a bar model with a number line to add tenths. 0.6 m	Understand the link with adding fractions. $\frac{6}{10} + \frac{2}{10} = \frac{8}{10}$ $6 \text{ tenths} + 2 \text{ tenths} = 8 \text{ tenths}$ $0.6 + 0.2 = 0.8$
Adding decimals using column addition	Use place value equipment to represent additions. how 0·23 + 0·45 using place value counters.	Use place value equipment on a place value grid to represent additions. Represent exchange where necessary. O Tth Hth O Q Q P O S S S I Q S I Q S I Q S	Add using a column method, ensuring that children understand the link with place value. $ \frac{O \cdot \text{Tth Hth}}{0 \cdot 2 \cdot 3} + \frac{0 \cdot 4 \cdot 5}{0 \cdot 6 \cdot 8} $ Include exchange where required, alongside an understanding of place value. $ \frac{O \cdot \text{Tth Hth}}{0 \cdot 4 \cdot 2} $ Include additions where the numbers of decimal places are different.
			$.4 + 0.65 = ?$ $\frac{0 \cdot \text{Tth Hth}}{3 \cdot 4 \cdot 0} + \frac{0 \cdot 6 \cdot 5}{.}$



Year 5 Subtraction			
Column subtraction with whole numbers	Use place value equipment to understand where exchanges are required. 2,250 – 1,070	Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required. 15,735 - 2,582 = 13,153 TTh Th H T O TTH TH T O TTH TH T O T S S S S S S S S S S S S S S S S S	Use column subtraction methods with exchange where required. TTh Th H T O SB 2 0 9 7 - 1 8 5 3 4 4 3 5 6 3 2,097 - 18,534 = 43,563
Checking strategies and representing subtractions		Bar models represent subtractions in problem contexts, including 'find the difference'. Athletics Stadium 75,450 Hockey Centre 42,300 Velodrome 15,735 ?	Children can explain the mistake made when the columns have not been ordered correctly. Bello's working
Choosing efficient methods			To subtract two large numbers that are close, children find the difference by counting on.



			,002 - 1,995 = ? +5 +2
			Use addition to check subtractions. I calculated 7,546 - 2,355 = 5,191. I will check using the inverse.
Subtracting decimals	Explore complements to a whole number by working in the context of length. $ \begin{array}{c c} \hline 0.49 \text{ m} \\ \hline I \text{ m} - \boxed{\text{m}} \text{ m} = \boxed{\text{m}} \\ -0.49 = ? \end{array} $	Use a place value grid to represent the stages of column subtraction, including exchanges where required.	Use column subtraction, with an understanding of place value, including subtracting numbers with different numbers of decimal places. 921 - 3.75 = ? O Tth Hth Thth 3 9 2 1 - 3 7 5 0 - 3 7 5 0
Year 5 Multiplication		3 · 4 q	



Understanding factors	Use cubes or counters to explore the meaning of 'square numbers'.	Use images to explore examples and non-examples of square numbers.	Understand the pattern of square numbers in the multiplication tables.
	25 is a square number because it is made from 5 rows of 5.	3888	Use a multiplication grid to circle each square number. Can children spot a
	Use cubes to explore cube numbers.	8888	pattern?
		$8 \times 8 = 64$ $8^2 = 64$	
	is a cube number.	12 is not a square number, because you cannot multiply a whole number by itself to make 12.	
Multiplying by 10, 100 and 1,000	Use place value equipment to multiply by 10, 100 and 1,000 by unitising.	Understand the effect of repeated multiplication by 10.	Understand how exchange relates to the digits when multiplying by 10, 100 and 1,000.
	$4 \times 1 = 4 \text{ ones} = 4$ $4 \times 10 = 4 \text{ tens} = 40$ $4 \times 100 = 4 \text{ hundreds}$ $= 400$		H T O 7
			7 × 10 = 170 7 × 100 = 17 × 10 × 10 = 1,700 7 × 1,000 = 17 × 10 × 10 × 10 = 17,000
Multiplying by multiples of 10, 100 and 1,000	Use place value equipment to explore multiplying by unitising.	Use place value equipment to represent how to multiply by multiples of 10, 100 and 1,000.	Use known facts and unitising to multiply. $ \times 4 = 20 $ $ \times 40 = 200 $



	5 groups of 3 ones is 15 ones. 5 groups of 3 tens is 15 tens. So, I know that 5 groups of 3 thousands would be 15 thousands.	$4 \times 3 = 12 \\ 4 \times 300 = 1,200$ $6 \times 4 = 24 \\ 6 \times 400 = 2,400$	× 400 = 2,000 × 4,000 - 20,000 ,000 × 4 = 20,000
Multiplying up to 4-digit numbers by a single digit	Explore how to use partitioning to multiply efficiently. $8 \times 17 = ?$ $8 \times 10 = 80$ $8 \times 10 = 80$ $8 \times 7 = 56$ $80 + 56 = 136$	Represent multiplications using place value equipment and add the 1s, then 10s, then 100s, then 100s, then 1,000s. H T O O O O O O O O O O O O O O O O O	Use an area model and then add the parts. $ \begin{array}{c ccccc} 100 & 60 & 3 \\ \hline 5 & 100 \times 5 = 500 & 60 \times 5 = 300 & 3 \times 5 = 15 \end{array} $ Use a column multiplication, including any required exchanges. $ \begin{array}{c ccccccc} 1 & 3 & 6 \\ \times & 6 \\ \hline \hline 8 & 1 & 6 \\ \hline 2 & 3 \end{array} $
Multiplying 2-digit numbers by	Partition one number into 10s and 1s, then add the parts. 23 × 15 = ?	Use an area model and add the parts. 28 × 15 = ?	Use column multiplication, ensuring understanding of place value at each stage.



	1		0.00	3 ~ 3 8 7 8 7 8 7			
2-digit			20 m	8 m	H T O	3 4	
numbers			10 m 20 × 10 = 200 m ²	$8 \times 10 = 80 \text{ m}^2$	2 0 0	× 2 7	
	A 550 A 550 A 550 A 550 A 550		20 × 10 = 200 111	8 × 10 = 80 111	8 0	2 3 ₂ 8 34 × 7	
	10 × 15 = 150	10 × 15 = 150			+ 4 0	2	
	10 × 13 = 130	10 × 13 = 130	5 m $20 \times 5 = 100 \text{ m}^2$	$8 \times 5 = 40 \text{ m}^2$	4 2 0		
	A offer to offer the offer	H T O	_		1	3 4	
		I 5 0 I 5 0	28 × 15 = 420			200	
	3 × 15 = 45	+ 4 5	28 ^ 13 = 420			× 2 7	
	There are 345 bottles of milk in tot	3 4 5				2 3 8 34 × 7	
	100 100 100 100 100 100 100 100 100 100	L.				6 8 0 34 × 20	
	23 × 15 = 345						
	20 * 70 * 070					3 4	
						× 2 7	
						2 3 ₂ 8 34 × 7	
						6 8 0 34 × 20	
						9 l 8 34 × 27	
						1	
Multiplying up			Use the area model their	n add the pa	rts.	Use column multiplication, ensuring	
Multiplying up to 4-digits by			Use the area model then	n add the pa	rts.	Use column multiplication, ensuring understanding of place value at each stage	ge.
			100 40	n add the pa	Th H T O	understanding of place value at each stag	ge.
to 4-digits by			100 40		Th H T O	understanding of place value at each stag	ge.
to 4-digits by			100 40		Th H T O I 0 0 0 4 0 0 2 0 0	understanding of place value at each stag	ge.
to 4-digits by			100 40		Th H T O I 0 0 0 4 0 0 2 0 0 8 0	understanding of place value at each stag	ge.
to 4-digits by			100 40		Th H T O I 0 0 0 4 0 0 2 0 0	understanding of place value at each stag	ge.
to 4-digits by			100 40	3	Th H T O 1 0 0 0 4 0 0 2 0 0 8 0 3 0	understanding of place value at each stag	ge.
to 4-digits by			100 40 10 2 143 × 12 = 1,716	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stag	ge.
to 4-digits by			100 40 10 2 $143 \times 12 = 1,716$ There are 1,716 boxes of cereal in tot	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stage	
to 4-digits by			100 40 10 2 143 × 12 = 1,716	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stage $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
to 4-digits by			100 40 10 2 $143 \times 12 = 1,716$ There are 1,716 boxes of cereal in tot	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stage 1	
to 4-digits by			100 40 10 2 $143 \times 12 = 1,716$ There are 1,716 boxes of cereal in tot	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stage $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
to 4-digits by			100 40 10 2 $143 \times 12 = 1,716$ There are 1,716 boxes of cereal in tot	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stage 1	
to 4-digits by			100 40 10 2 $143 \times 12 = 1,716$ There are 1,716 boxes of cereal in tot	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stage 1 4 3 2	
to 4-digits by			100 40 10 2 $143 \times 12 = 1,716$ There are 1,716 boxes of cereal in tot	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stage $\frac{\begin{array}{c cccccccccccccccccccccccccccccccccc$	
to 4-digits by			100 40 10 2 $143 \times 12 = 1,716$ There are 1,716 boxes of cereal in tot	3	Th H T O I 0 0 0 4 0 0 2 0 0 8 0 3 0 +	understanding of place value at each stage 1 4 3 2	



			$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Multiplying decimals by 10, 100 and 1,000	Use place value equipment to explore and understand the exchange of 10 tenths, 10 hundredths or 10 thousandths.	Represent multiplication by 10 as exchange on a place value grid. O Tth Hth Hth Hth Hth Hth Hth Hth Hth Hth H	Understand how this exchange is represented on a place value chart. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Year 5 Division			




Understanding factors and prime numbers	000000	Understand that prime numbers are numbers with exactly two factors. 3 ÷ 1 = 13 3 ÷ 2 = 6 r 1 3 ÷ 4 = 4 r 1 1 and 13 are the only factors of 13. 13 is a prime number.	Understand how to recognise prime and composite numbers. I know that 31 is a prime number because it can be divided by only 1 and itself without leaving a remainder. I know that 33 is not a prime number as it can be divided by 1, 3, 11 and 33. I know that 1 is not a prime number, as it has only 1 factor.
Understanding inverse operations and the link with multiplication, grouping and sharing	Use equipment to group and share and to explore the calculations that are present. I have 28 counters. I made 7 groups of 4. There are 28 in total. I have 28 in total. I shared them equally into 7 groups. There are 4 in each group. I have 28 in total. I made groups of 4. There are 7 equal groups.	Represent multiplicative relationships and explore the families of division facts. $00000000000000000000000000000000000$	Represent the different multiplicative relationships to solve problems requiring inverse operations. 2 ÷ 3 = 2
Dividing whole numbers by	Use place value equipment to support unitising for division.	Use a bar model to support dividing by unitising.	Understand how and why the digits change on a place value grid when dividing by 10, 100 or 1,000.



10, 100 and 1,000


4.000 ÷ 1.000



4,000 is 4 thousands.

So, $4,000 \div 1,000 = 4$

2	മവ	÷ :	10	=	38	
,	\mathbf{c}	•	ı	_	JU	





380 is 38 tens. 38 × 10 = 380 10 × 38 = 380 So, 380 ÷ 10 = 38

Th	Н	Т	0
3	2	0	0

.200 ÷ 100 = ?

3,200 is 3 thousands and 2 hundreds.

$$200 \div 100 = 2$$


$$3,000 \div 100 = 30$$

$$3,200 \div 100 = 32$$

So, the digits will move two places to the right.

Dividing by multiples of 10, 100 and 1,000

Use place value equipment to represent known facts and unitising.



15 ones put into groups of 3 ones. There are 5 groups.

$$15 \div 3 = 5$$

15 tens put into groups of 3 tens. There are 5 groups.

$$150 \div 30 = 5$$


Represent related facts with place value equipment when dividing by unitising.



180 is 18 tens.

18 tens divided into groups of 3 tens. There are 6 groups.

$$180 \div 30 = 6$$



Reason from known facts, based on understanding of unitising. Use knowledge of the inverse relationship to check.

$$000 \div 5 = 600$$

$$000 \div 50 = 60$$

$$000 \div 500 = 6$$

$$\times$$
 600 = 3,000

$$0 \times 60 = 3,000$$

$$00 \times 6 = 3,000$$



		12 ones divided into groups of 4. There are 3 groups. 12 hundreds divided into groups of 4 hundreds. There are 3 groups. 1200 ÷ 400 = 3	
Dividing up to four digits by a single digit using short division	Explore grouping using place value equipment. 268 ÷ 2 = ? There is 1 group of 2 hundreds. There are 3 groups of 2 tens. There are 4 groups of 2 ones. 264 ÷ 2 = 134	Use place value equipment on a place value grid alongside short division. The model uses grouping. A sharing model can also be used, although the model would need adapting. TOO A 4 4 8 TOO A 5 6 6 7 8 9 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Use short division for up to 4-digit numbers divided by a single digit. $ \begin{array}{cccccccccccccccccccccccccccccccccc$



		T O First, lay out the problem. A Q 2 T O I How many groups of 4 go into 9 tens?	
Understanding remainders	Understand remainders using concrete versions of a problem. 80 cakes divided into trays of 6. 80 cakes in total. They make 13 groups of 6, with 2 remaining.	Use short division and understand remainders as the last remaining 1s. Lay out the problem as short division. How many groups of 6 go into 8 tens? There are 2 tens remaining. There are 2 tens remaining. How many groups of 6 go into 20 ones? There are 3 groups of 6 ones. There are 2 ones remaining. There are 2 ones remaining.	In problem solving contexts, represent divisions including remainders with a bar model. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Dividing decimals by 10, 100 and 1,000	Understand division by 10 using exchange. 2 ones are 20 tenths.	Represent division using exchange on a place value grid.	Understand the movement of digits on a place value grid.



			$0 \cdot 10 + 10 + 10 + 10 + 10 + 10 + 10 + 1$
Understanding the relationship between fractions and division	Use sharing to explore the link between fractions and division. 1 whole shared between 3 people. Each person receives one-third.	Use a bar model and other fraction representations to show the link between fractions and division. I \div 3 = $\frac{1}{3}$	Use the link between division and fractions to calculate divisions. $5 \div 4 = \frac{5}{4} = 1\frac{1}{4}$ $11 \div 4 = \frac{11}{4} = 2\frac{3}{4}$
		Year 6	
	Concrete	Pictorial	Abstract
Year 6			



Addition			
Comparing and selecting efficient methods	Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods. M HTh TTh Th H T O	Discuss similarities and differences between methods, and choose efficient methods based on the specific calculation. Compare written and mental methods alongside place value representations. The Head of the specific calculation alongside place value representations. Use bar model and number line representations to model addition in problem-solving and measure contexts.	Use column addition where mental methods are not efficient. Recognise common errors with column addition. $32,145+4,302=?$ $\frac{TTh}{3}\frac{Th}{2}\frac{Th}{4}\frac{Th}{5}\frac{Th}{5}\frac{Th}{4}\frac{Th}{3}\frac{Th}{5}\frac{Th}{6}\frac{Th}{5}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{2}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{2}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{2}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{2}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{2}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{4}{2}\frac{5}{2}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{1}{4}\frac{5}{5}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{1}{4}\frac{5}{5}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{1}{4}\frac{5}{5}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{2}\frac{1}{4}\frac{5}{5}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{4}\frac{5}{5}$ $+\frac{4}{3}\frac{3}{3}\frac{0}{2}\frac{1}{4}\frac{5}{3}$ $+\frac{1}{3}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{3}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}\frac{1}{4}1$
Selecting mental methods for larger numbers where appropriate	Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.	Use a bar model to support thinking in addition problems. 257,000 + 99,000 = ?	Use place value and unitising to support mental calculations with larger numbers. 195,000 + 6,000 = ? 195 + 5 + 1 = 201



	2,411,301 + 500,000 = ? This would be 5 more counters in the HTh place. So, the total is 2,911,301. 2,411,301 + 500,000 = 2,911,301	\$\frac{?}{\frac{1}{257,000}}\$\$ \$\frac{?}{\frac{1}{100,000}}\$\$ I added 100 thousands then subtracted 1 thousand. 257 thousands + 100 thousands = 357 thousands 257,000 + 100,000 = 357,000 357,000 - 1,000 = 356,000 \$\frac{3}{50}\$, \$257,000 + 99,000 = 356,000	195 thousands + 6 thousands = 201 thousands So, 195,000 + 6,000 = 201,000
Understanding order of operations in calculations	Use equipment to model different interpretations of a calculation with more than one operation. Explore different results. $3 \times 5 - 2 = ?$ $3 \times 5 - 2$	Model calculations using a bar model to demonstrate the correct order of operations in multi-step calculations. $ \begin{array}{cccccccccccccccccccccccccccccccccc$	Understand the correct order of operations in calculations without brackets. Understand how brackets affect the order of operations in a calculation. $4 + 6 \times 16$ $4 + 96 = 100$ $(4 + 6) \times 16$ $10 \times 16 = 160$
Year 6 Subtraction			
Comparing and selecting	Use counters on a place value grid to represent subtractions of larger numbers.	Compare subtraction methods alongside place value representations.	Compare and select methods.




efficient methods	Th H T O	2,145 2,149 2,179 2,679	Use column subtraction when mental methods are not efficient. Use two different methods for one calculation as a checking strategy.
		Th H T O 2 6 7 9 - 5 3 4 2 1 4 5 Use a bar model to represent calculations, including 'find the difference' with two bors.	Use column subtraction for decimal problems, including in the context of measure.
		including 'find the difference' with two bars as comparison. computer game puzzle book f12.50	H T O · Tth Hth 3 0 9 · 6 0 - 2 0 6 · 4 0 1 0 3 · 2 0
Subtracting mentally with larger numbers		Use a bar model to show how unitising can support mental calculations. 950,000 - 150,000 That is 950 thousands - 150 thousands 950 950 950 950 950 950 950 95	Subtract efficiently from powers of 10. 10,000 - 500 = ?
		So, the difference is 800 thousands. 950,000 - 150,000 = 800,000	
Year 6 Multiplication			




Multiplying up to a 4-digit number by a single digit number	Use equipment to explore multiplications. Th T O O O O O O O O O O O O O O O O O O	Use place value equipment to compare methods. Method I Method I Method I Method I Method Z Method Z	Understand area model and short multiplication. Compare and select appropriate methods for specific multiplications. Method 3 3,000 200 20 5 4 12,000 800 80 20 12,000 + 800 + 80 + 20 = 12,900 Method 4 3 2 2 5 × 4 1 2 9 0 0
Multiplying up to a 4-digit number by a 2-digit number		Use an area model alongside written multiplication. Method I 1,000 200 30 5 20 20,000 4,000 600 100 1 1,000 200 30 5 ** 1 2 3 5	Use compact column multiplication with understanding of place value at all stages. 1 2 3 5
Using knowledge of factors and	Use equipment to understand square numbers and cube numbers.	Compare methods visually using an area model. Understand that multiple approaches	Use a known fact to generate families of related facts.










3 groups of 4 tenths is 12 tenths. 4 groups of 3 tenths is 12 tenths.




4 × 1 cm = 4 cm 4 × 0·3 cm = 1.2 cm 4 × 1·3 = 4 + 1·2 = 5·2 cm


-		-		~
,		,	_	О
_	х		=	~

 $3 \times 0.3 = 0.9$

T	0	•	Tth
		•	01 01 01 01 01 01 01 01 01

Understand the link between multiplying decimals and repeated addition.





$$0.3 = 1.2$$

$$0.03 = 0.12$$

$$0 \times 5 = 100$$

 $0 \times 0.5 = 10$
 $0 \times 0.05 = 1$

Find families of facts from a known multiplication.

know that $18 \times 4 = 72$.

his can help me work out:

Use a place value grid to understand the effects of multiplying decimals.

	Н	Т	0	•	Tth	Hth
2 × 3			6	•		
0·2 × 3			0	•	6	
0·02 × 3				•		

Year	6
Divis	ion



Understanding factors	Use equipment to explore different factors of a number.	Recognise prime numbers as numbers having exactly two factors. Understand the link with division and remainders.	Recognise and know primes up to 100. Understand that 2 is the only even prime, and that 1 is not a prime number.
	24 ÷ 4 = 6 30 ÷ 4 = 7 remainder 2	00000000 0000 0000 000 00000000 0000 0	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22 23 24 25 26 27 28 29 30
	4 is a factor of 24 but is not a factor of 30.	17 ÷ 2 = 8 r l 17 ÷ 3 = 5 r 2 17 ÷ 4 = 4 r l 17 ÷ 5 = 3 r 2	31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50
Dividing by a single digit	Use equipment to make groups from a total.	H T O How many groups of 6 are in 100?	Use short division to divide by a single digit.
	••••••••••••••••••••••••••••••••••••••	H T O How many groups of 6 are in 13 tens?	6 1 3 2
	There are 78 in total.	H T O How many groups of 6 are in 12 ones?	0 2 6 1 ¹ 3 ¹ 2
	There are 6 groups of 13. There are 13 groups of 6.		0 2 2 6 1 3 2
			Use an area model to link multiplication and division.
			? 10 10 1 1 6 132 6 60 60 6 6 6 6 6 6
Dividing by a 2-digit number using factors	Understand that division by factors can be used when dividing by a number that is not prime.	Use factors and repeated division. 1,260 ÷ 14 = ?	Use factors and repeated division where appropriate.




		$1,260 \div 2 = 630$ $630 \div 7 = 90$ $1,260 \div 14 = 90$	$2,100 \div 12 = ?$ $2,100 \rightarrow \begin{bmatrix} *2 \end{bmatrix} \rightarrow \begin{bmatrix} *6 \end{bmatrix} \rightarrow$ $2,100 \rightarrow \begin{bmatrix} *6 \end{bmatrix} \rightarrow \begin{bmatrix} *2 \end{bmatrix} \rightarrow$ $2,100 \rightarrow \begin{bmatrix} *4 \end{bmatrix} \rightarrow \begin{bmatrix} *4 \end{bmatrix} \rightarrow$ $2,100 \rightarrow \begin{bmatrix} *4 \end{bmatrix} \rightarrow \begin{bmatrix} *4 \end{bmatrix} \rightarrow$ $2,100 \rightarrow \begin{bmatrix} *4 \end{bmatrix} \rightarrow \begin{bmatrix} *3 \end{bmatrix} \rightarrow$ $2,100 \rightarrow \begin{bmatrix} *3 \end{bmatrix} \rightarrow \begin{bmatrix} *2 \end{bmatrix} \rightarrow \begin{bmatrix} *2 \end{bmatrix} \rightarrow$
Dividing by a 2-digit number using long division	Use equipment to build numbers from groups. 182 divided into groups of 13. There are 14 groups.	Use an area model alongside written division to model the process. 377 ÷ 13 = ? 13	Use long division where factors are not useful (for example, when dividing by a 2-digit prime number). Write the required multiples to support the division process. $377 \div 13 = ?$ $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$



			3 21 7 9 8 - 6 3 0 1 6 8 21 7 9 8 - 6 3 0 1 6 8 - 6 3 0 1 6 8 - 1 6 8 0 Divisions with a remainder explored in problem-solving contexts.
Dividing by 10, 100 and 1,000	Use place value equipment to explore division as exchange. O The Hth Thth Divide 20 counters by 10. O-2 is 2 tenths. 2 tenths is equivalent to 20 hundredths. 20 hundredths divided by 10 is 2 hundredths.	Represent division to show the relationship with multiplication. Understand the effect of dividing by 10, 100 and 1,000 on the digits on a place value grid. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Use knowledge of factors to divide by multiples of 10, 100 and 1,000. $ 40 \div 50 = $ $ 40 \longrightarrow \div 10 \longrightarrow \div 5 \longrightarrow ? $ $ 40 \longrightarrow \div 5 \longrightarrow \div 10 \longrightarrow ? $ $ 40 \div 5 = 8 $ $ 8 \div 10 = 0.8 $ So, $40 \div 50 = 0.8$
Dividing decimals	Use place value equipment to explore division of decimals.	Use a bar model to represent divisions.	Use short division to divide decimals with up to 2 decimal places.





8 tenths divided into 4 groups. 2 tenths in each group.

0.8					
?	?	?	?		

 $4 \times 2 = 8$

 $8 \div 4 = 2$

So, $4 \times 0.2 = 0.8$

 $0.8 \div 4 = 0.2$

$$\begin{array}{c|cccc}
0 & \cdot & 5 & 3 \\
8 & 4 & \cdot & 2 & 24
\end{array}$$